



Performance



Accessibility



Best Practices



SEO

 0-49  50-89  90-100

Performance

Metrics



 First Contentful Paint	2.8 s	 Time to Interactive	27.3 s
 Speed Index	12.8 s	 Total Blocking Time	1,140 ms
 Largest Contentful Paint	8.0 s	 Cumulative Layout Shift	0.21

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

 [View Treemap](#)Show audits relevant to: All FCP LCP TBT CLS

Opportunities — These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

Opportunity Estimated Savings

▲ Reduce unused JavaScript 9.43 s ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn more.](#) LCP

☒ Show 3rd-party resources (7)

URL	Transfer Size	Potential Savings
...packs/apps-view-8ccb35b....js (public.powrcdn.com)	245.4 KiB	183.9 KiB
...assets/reach.js?v=870... (cdn.shopify.com)	120.5 KiB	78.0 KiB
...apps/map-9928a70....js (public.powrcdn.com)	72.9 KiB	58.1 KiB
...apps/microblog-df704db....js (public.powrcdn.com)	80.0 KiB	57.6 KiB
...api/js?v=3.23&key=AlzaSyBwF... (maps.googleapis.com)	44.4 KiB	24.7 KiB
...packs/422-1e8c736....js (public.powrcdn.com)	24.9 KiB	22.3 KiB
...1.3.1/leaflet.js?_=162... (cdnjs.cloudflare.com)	35.4 KiB	21.9 KiB

▲ Reduce unused CSS 3 s ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn more.](#) FCP LCP

☒ Show 3rd-party resources (5)

URL	Transfer Size	Potential Savings
/*! * Font Awesome Pro 5.15.3 by @fontawesome - https://fontawesome.com * License - https://fontaw...	72.8 KiB	72.7 KiB
...style_packs/views-34cf9b8....css (public.powrcdn.com)	37.2 KiB	36.9 KiB
...views/microblog-25aef77....css (public.powrcdn.com)	35.6 KiB	35.4 KiB

URL	Transfer Size	Potential Savings
...assets/theme.css?v=318... (cdn.shopify.com)	40.3 KiB	34.0 KiB
...views/map-1e04269....css (public.powrcdn.com)	32.6 KiB	32.4 KiB
...css/bootstrap.min.css (maxcdn.bootstrapcdn.com)	17.2 KiB	16.8 KiB

■ Avoid serving legacy JavaScript to modern browsers ■ 0.3 s ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#) TBT

☐ Show 3rd-party resources (9)

URL	Potential Savings
-----	-------------------

■ Properly size images ■ 0.19 s ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

☒ Show 3rd-party resources (4)

URL	Resource Size	Potential Savings
 ...assets/siegel_bw_bw.png?v=1403417... (cdn.shopify.com)	57.0 KiB	51.0 KiB
 ...assets/stoerer_vegan.png?v=152... (cdn.shopify.com)	39.1 KiB	35.0 KiB
 ...assets/logo_biosiegel_4c_verlauf.jpg?v=446... (cdn.shopify.com)	18.2 KiB	15.3 KiB
 ...files/Enzo_Head....jpg?v=162... (cdn.shopify.com)	150.8 KiB	4.7 KiB

■ Minify JavaScript ■ 0.15 s ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)

FCP LCP

☒ Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
...js/app.js?shop=dr-enzo.myshopify.com (gcc.metizapps.com)	4.4 KiB	2.3 KiB

■ Serve images in next-gen formats

0.15 s ^

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

☒ Show 3rd-party resources (2)

URL	Resource Size	Potential Savings
 ...350/png (www.powr.io)	70.7 KiB	21.5 KiB
...350/png (www.powr.io)	58.9 KiB	17.1 KiB

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Avoid enormous network payloads — Total size was 20,833 KiB

^

Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#) LCP

☒ Show 3rd-party resources (10)

URL	Transfer Size
/app_images%2Fresizable%2FIMG-4735_bd0c44d8_162....jpg (www.powrcdn.com)	3,983.7 KiB

URL	Transfer Size
/app_images%2Fresizable%2FIMG-4586_d1a4f95f_162....jpg (www.powrcdn.com)	3,137.3 KiB
/app_images%2Fresizable%2FIMG-5101_0521acc7_162....jpg (www.powrcdn.com)	3,107.6 KiB
/app_images%2Fresizable%2FIMG-4390_5d37d507_162....jpg (www.powrcdn.com)	3,066.1 KiB
/app_images%2Fresizable%2FIMG-4525_788d5942_162....jpg (www.powrcdn.com)	2,073.9 KiB
/app_images%2Fresizable%2FMaxi1_6f311472_162....jpg (www.powrcdn.com)	1,976.2 KiB
/app_images%2Fresizable%2FIMG-6719_eedfa4da_162....jpeg (www.powrcdn.com)	328.9 KiB
...packs/apps-view-8ccb35b....js (public.powrcdn.com)	245.4 KiB
...packs/apps-view-8ccb35b....js (public.powrcdn.com)	245.4 KiB
...packs/apps-view-8ccb35b....js (public.powrcdn.com)	245.4 KiB

▲ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more](#). FCP LCP

☒ Show 3rd-party resources (7)

URL	Potential Savings
/domine/domine_n7.e978e0d....woff2?h1=ZHJlbnpvLmRI&hmac=fce5105... (fonts.shopifycdn.com)	20 ms
...gordita/gordita-regular-webfont-woff.woff (public.powrcdn.com)	50 ms
...gordita/gordita-regular-webfont-woff.woff (public.powrcdn.com)	20 ms

URL	Potential Savings
...gordita/gordita-regular-webfont-woff.woff (public.powrcdn.com)	40 ms
...v23/mem8YaGs1....woff2 (fonts.gstatic.com)	0 ms
...v23/mem8YaGs1....woff2 (fonts.gstatic.com)	0 ms
...v11/L0xhDFMnl....woff2 (fonts.gstatic.com)	10 ms

▲ **Reduce the impact of third-party code — Third-party code blocked the main thread for 1,110 ms** ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#) TBT

☐ Show 3rd-party resources (0)

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Analytics	60 KiB	410 ms
/analytics.js (www.google-analytics.com)	60 KiB	410 ms
POWr	240 KiB	261 ms
...u/shopify-section-photo-gallery-162...d3e2 (www.powr.io)	18 KiB	127 ms
...u/9b749e0d_162... (www.powr.io)	15 KiB	61 ms
...u/shopify-section-map-162...ca31e5a1 (www.powr.io)	14 KiB	61 ms
/powr.js?powr-token=... (www.powr.io)	6 KiB	11 ms
...350/png (www.powr.io)	71 KiB	0 ms
Other resources	117 KiB	0 ms
JSDelivr CDN	103 KiB	181 ms
...dist/jquery.min.js (cdn.jsdelivr.net)	103 KiB	181 ms
Shopify	607 KiB	153 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...assets/reach.js?v=870... (cdn.shopify.com)	121 KiB	137 ms
...boomerang/shopify-boomerang-1.0.0.min.js (cdn.shopify.com)	18 KiB	15 ms
...files/Enzo_Head....jpg?v=162... (cdn.shopify.com)	152 KiB	0 ms
...assets/siegel_bw_bw.png?v=1403417... (cdn.shopify.com)	58 KiB	0 ms
...assets/theme.css?v=318... (cdn.shopify.com)	40 KiB	0 ms
Other resources	218 KiB	0 ms
FontAwesome CDN	221 KiB	103 ms
/14579ba48d.js (kit.fontawesome.com)	14 KiB	103 ms
...css/pro.min.css?token=14579ba48d (ka-p.fontawesome.com)	159 KiB	0 ms
...webfonts/pro-fa-light-300-5.0.0.woff2 (ka-p.fontawesome.com)	25 KiB	0 ms
...css/pro-v4-shims.min.css?token=14579ba48d (ka-p.fontawesome.com)	14 KiB	0 ms
Google Maps	89 KiB	0 ms
...api/js?v=3.23&key=AlzaSyBwF... (maps.googleapis.com)	89 KiB	0 ms
Bootstrap CDN	52 KiB	0 ms
...css/bootstrap.min.css (maxcdn.bootstrapcdn.com)	52 KiB	0 ms
Google Fonts	40 KiB	0 ms
...v23/mem8YaGs1....woff2 (fonts.gstatic.com)	19 KiB	0 ms
...v11/L0xhDFMnl....woff2 (fonts.gstatic.com)	17 KiB	0 ms
Cloudflare CDN	39 KiB	0 ms
...1.3.1/leaflet.js?_=162... (cdnjs.cloudflare.com)	35 KiB	0 ms
Google Tag Manager	39 KiB	0 ms
/gtag/js?id=AW-313... (www.googletagmanager.com)	39 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
New Relic	34 KiB	0 ms
/nr-1184.min.js (js-agent.newrelic.com)	33 KiB	0 ms
Google CDN	18 KiB	0 ms
...1/webfont.js (ajax.googleapis.com)	18 KiB	0 ms
Google/DoubleClick Ads	18 KiB	0 ms
/pagead/conversion_async.js (www.googleadservices.com)	14 KiB	0 ms
Heroku	2 KiB	0 ms
Other Google APIs/SDKs	1 KiB	0 ms

▲ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

☒ Show 3rd-party resources (2)

Source

...u/shopify-section-photo-gallery-162...d3e2:65:21842 (www.powr.io)

...u/9b749e0d_162...:65:21842 (www.powr.io)

▲ Image elements do not have explicit width and height ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#) CLS

☒ Show 3rd-party resources (9)


URLFailing Elements

URL

Failing Elements



...files/Enzo_Head....jpg?v=162...
(cdn.shopify.com)



Enzo von Dr. Enzo
Backmischungen für Hunde
liegt entspannt auf einer
grünen Wie...


```



...assets/siegel\_bw\_bw.png?  
v=1403417... (cdn.shopify.com)

img

```

```



...assets/stoerer\_vegan.png?  
v=152... (cdn.shopify.com)


img

```

```



...  
assets/logo\_biosiegel\_4c\_verlauf  
.jpg?v=446... (cdn.shopify.com)



img

```

```



...  
assets/logo\_biosiegel\_4c\_verlauf  
.jpg?v=446... (cdn.shopify.com)



img

```

```

## URL

## Failing Elements



...  
files/Logo\_neu\_2021.001\_360x\_0  
42cbc3b-890a-4c7b-b789-  
681....jpg?... (cdn.shopify.com)



Dr Enzo -  
Backmischungen für  
Hunde Logo

```

```



...files/Bio-Siegel\_960x540.jpg?  
v=162... (cdn.shopify.com)




Unsere Backmischungen  
sind Bio zertifiziert. Aus  
Ihnen lassen sich  
Hundeleckerl...

```


```



...assets/EU\_Organi....jpg?  
v=274... (cdn.shopify.com)



img  


| URL                                                                                                                                     | Failing Elements                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  ...assets/EU_Organi....jpg?v=274... (cdn.shopify.com) |  <pre>img &lt;img height="80" src="//cdn.shopify.com/s/files/1/0527/3524/6526/t/13/assets/EU_Organic_Logo_Col..."&gt;</pre> |

## ▲ Serve static assets with an efficient cache policy — 51 resources found



A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)

☒ Show 3rd-party resources (51)

| URL                                                                                           | Cache TTL            | Transfer Size |
|-----------------------------------------------------------------------------------------------|----------------------|---------------|
| ...js/app.js?shop=dr-enzo.myshopify.com (gcc.metizapps.com)                                   | None                 | 4 KiB         |
| ...css/gdpr_front_bar.css (gcc.metizapps.com)                                                 | None                 | 4 KiB         |
| /1/4474f5c124?a=... (bam.nr-data.net)                                                         | None                 | 0 KiB         |
| ...api/js?v=3.23&key=AlzaSyBwF... (maps.googleapis.com)                                       | 30 m                 | 44 KiB        |
| ...api/js?v=3.23&key=AlzaSyBwF... (maps.googleapis.com)                                       | 30 m                 | 44 KiB        |
| /analytics.js (www.google-analytics.com)                                                      | 2 h                  | 20 KiB        |
| /analytics.js (www.google-analytics.com)                                                      | 2 h                  | 20 KiB        |
| /analytics.js (www.google-analytics.com)                                                      | 2 h                  | 20 KiB        |
| /nr-1184.min.js (js-agent.newrelic.com)                                                       | 2 h                  | 11 KiB        |
| /nr-1184.min.js (js-agent.newrelic.com)                                                       | 2 h                  | 11 KiB        |
| /nr-1184.min.js (js-agent.newrelic.com)                                                       | 2 h                  | 11 KiB        |
| /powr.js?powr-token=... (www.powr.io)                                                         | 7 d                  | 6 KiB         |
| /domine/domine_n7.e978e0d....woff2?<br>h1=ZHJlbnpvLmRI&hmac=fce5105... (fonts.shopifycdn.com) | 30 d<br>10 h<br>30 m | 33 KiB        |

| URL                                                                          | Cache<br>TTL         | Transfer<br>Size |
|------------------------------------------------------------------------------|----------------------|------------------|
| /new_centu.../newcentur....2c234ff....woff2?h1=...<br>(fonts.shopifycdn.com) | 30 d<br>10 h<br>30 m | 16 KiB           |
| /new_centu.../newcentur....24fabe1....woff2?h1=...<br>(fonts.shopifycdn.com) | 30 d<br>10 h<br>30 m | 15 KiB           |
| /app_images%2Fresizable%2FIMG-4735_bd0c44d8_162....jpg (www.powrcdn.com)     | 31 d                 | 3,984 KiB        |
| /app_images%2Fresizable%2FIMG-4586_d1a4f95f_162....jpg (www.powrcdn.com)     | 31 d                 | 3,137 KiB        |
| /app_images%2Fresizable%2FIMG-5101_0521acc7_162....jpg (www.powrcdn.com)     | 31 d                 | 3,108 KiB        |
| /app_images%2Fresizable%2FIMG-4390_5d37d507_162....jpg (www.powrcdn.com)     | 31 d                 | 3,066 KiB        |
| /app_images%2Fresizable%2FIMG-4525_788d5942_162....jpg (www.powrcdn.com)     | 31 d                 | 2,074 KiB        |
| /app_images%2Fresizable%2FMaxi1_6f311472_162....jpg (www.powrcdn.com)        | 31 d                 | 1,976 KiB        |
| /app_images%2Fresizable%2FIMG-6719_eedfa4da_162....jpeg (www.powrcdn.com)    | 31 d                 | 329 KiB          |
| ...packs/apps-view-8ccb35b....js (public.powrcdn.com)                        | 31 d                 | 245 KiB          |
| ...packs/apps-view-8ccb35b....js (public.powrcdn.com)                        | 31 d                 | 245 KiB          |
| ...packs/apps-view-8ccb35b....js (public.powrcdn.com)                        | 31 d                 | 245 KiB          |
| ...apps/microblog-df704db....js (public.powrcdn.com)                         | 31 d                 | 80 KiB           |
| ...apps/map-9928a70....js (public.powrcdn.com)                               | 31 d                 | 73 KiB           |
| ...apps/map-9928a70....js (public.powrcdn.com)                               | 31 d                 | 73 KiB           |

| URL                                                               | Cache<br>TTL | Transfer<br>Size |
|-------------------------------------------------------------------|--------------|------------------|
| ...packs/344-347bd92....js (public.powrcdn.com)                   | 31 d         | 70 KiB           |
| ...packs/344-347bd92....js (public.powrcdn.com)                   | 31 d         | 70 KiB           |
| ...style_packs/views-34cf9b8....css (public.powrcdn.com)          | 31 d         | 37 KiB           |
| ...style_packs/views-34cf9b8....css (public.powrcdn.com)          | 31 d         | 37 KiB           |
| ...style_packs/views-34cf9b8....css (public.powrcdn.com)          | 31 d         | 37 KiB           |
| ...views/microblog-25aef77....css (public.powrcdn.com)            | 31 d         | 36 KiB           |
| ...views/map-1e04269....css (public.powrcdn.com)                  | 31 d         | 33 KiB           |
| ...views/map-1e04269....css (public.powrcdn.com)                  | 31 d         | 33 KiB           |
| ...gordita/gordita-regular-webfont-woff.woff (public.powrcdn.com) | 31 d         | 31 KiB           |
| ...gordita/gordita-regular-webfont-woff.woff (public.powrcdn.com) | 31 d         | 31 KiB           |
| ...gordita/gordita-regular-webfont-woff.woff (public.powrcdn.com) | 31 d         | 31 KiB           |
| ...packs/422-1e8c736....js (public.powrcdn.com)                   | 31 d         | 25 KiB           |
| ...packs/422-1e8c736....js (public.powrcdn.com)                   | 31 d         | 25 KiB           |
| ...packs/376-844f5d0....js (public.powrcdn.com)                   | 31 d         | 19 KiB           |
| ...packs/376-844f5d0....js (public.powrcdn.com)                   | 31 d         | 19 KiB           |
| ...packs/425-dd75c96....js (public.powrcdn.com)                   | 31 d         | 13 KiB           |
| ...packs/425-dd75c96....js (public.powrcdn.com)                   | 31 d         | 13 KiB           |
| ...logo/powr-logo.svg (www.powrcdn.com)                           | 31 d         | 3 KiB            |
| ...logo/powr-logo.svg (www.powrcdn.com)                           | 31 d         | 3 KiB            |
| ...packs/343-5f741d4....js (public.powrcdn.com)                   | 31 d         | 2 KiB            |
| ...packs/343-5f741d4....js (public.powrcdn.com)                   | 31 d         | 2 KiB            |
| ...packs/422-4f2759a....css (public.powrcdn.com)                  | 31 d         | 2 KiB            |

| URL                                              | Cache TTL | Transfer Size |
|--------------------------------------------------|-----------|---------------|
| ...packs/422-4f2759a....css (public.powrcdn.com) | 31 d      | 2 KiB         |

### ▲ Minimize main-thread work — 10.1 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) TBT

| Category                     | Time Spent |
|------------------------------|------------|
| Script Evaluation            | 4,417 ms   |
| Other                        | 2,079 ms   |
| Style & Layout               | 1,149 ms   |
| Rendering                    | 838 ms     |
| Script Parsing & Compilation | 734 ms     |
| Parse HTML & CSS             | 545 ms     |
| Garbage Collection           | 347 ms     |

### ▲ Reduce JavaScript execution time — 5.0 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) TBT

☒ Show 3rd-party resources (27)

| URL                                                   | Total CPU Time | Script Evaluation | Script Parse |
|-------------------------------------------------------|----------------|-------------------|--------------|
| https://www.drenzo.de                                 | 2,359 ms       | 66 ms             | 12 ms        |
| ...dist/jquery.min.js (cdn.jsdelivr.net)              | 1,389 ms       | 861 ms            | 21 ms        |
| Unattributable                                        | 854 ms         | 48 ms             | 1 ms         |
| ...packs/apps-view-8ccb35b....js (public.powrcdn.com) | 653 ms         | 328 ms            | 237 ms       |

| URL                                                               | Total CPU Time | Script Evaluation | Script Parse |
|-------------------------------------------------------------------|----------------|-------------------|--------------|
| /analytics.js (www.google-analytics.com)                          | 596 ms         | 564 ms            | 17 ms        |
| ...u/shopify-section-photo-gallery-162...<br>d3e2 (www.powr.io)   | 455 ms         | 366 ms            | 15 ms        |
| /14579ba48d.js (kit.fontawesome.com)                              | 389 ms         | 363 ms            | 13 ms        |
| ...packs/344-347bd92....js (public.powrcdn.com)                   | 386 ms         | 71 ms             | 94 ms        |
| ...u/9b749e0d_162... (www.powr.io)                                | 355 ms         | 266 ms            | 13 ms        |
| ...assets/reach.js?v=870... (cdn.shopify.com)                     | 351 ms         | 270 ms            | 27 ms        |
| ...u/shopify-section-map-162...<br>ca31e5a1 (www.powr.io)         | 336 ms         | 140 ms            | 11 ms        |
| /powr.js?powr-token=... (www.powr.io)                             | 302 ms         | 285 ms            | 10 ms        |
| ...u/shopify-section-map-162...<br>ca31e5a1 (www.powr.io)         | 121 ms         | 17 ms             | 1 ms         |
| ...api/js?v=3.23&key=AlzaSyBwF...<br>(maps.googleapis.com)        | 116 ms         | 85 ms             | 30 ms        |
| ...boomerang/shopify-boomerang-<br>1.0.0.min.js (cdn.shopify.com) | 111 ms         | 100 ms            | 4 ms         |
| /nr-1184.min.js (js-agent.newrelic.com)                           | 110 ms         | 80 ms             | 24 ms        |
| /gtag/js?id=AW-313... (www.googletagmanager.com)                  | 106 ms         | 93 ms             | 10 ms        |
| ...u/shopify-section-photo-gallery-162...<br>d3e2 (www.powr.io)   | 102 ms         | 14 ms             | 2 ms         |
| ...style_packs/views-<br>34cf9b8....css (public.powrcdn.com)      | 100 ms         | 0 ms              | 0 ms         |
| ...u/9b749e0d_162... (www.powr.io)                                | 99 ms          | 3 ms              | 1 ms         |
| /s/trekkie.storefront.9672a53....min.js (cdn.shopify.com)         | 93 ms          | 84 ms             | 5 ms         |

| URL                                                                  | Total CPU Time | Script Evaluation | Script Parse |
|----------------------------------------------------------------------|----------------|-------------------|--------------|
| /cdn/1bac848....js?shop=dr-enzo.myshopify.com (instafeed.nfcube.com) | 88 ms          | 76 ms             | 4 ms         |
| ...apps/map-9928a70....js (public.powrcdn.com)                       | 65 ms          | 6 ms              | 59 ms        |
| ...shopify_pay/storefront-b61f507....js?v=20210208 (cdn.shopify.com) | 61 ms          | 39 ms             | 4 ms         |
| ...storefront/load_feature-a55261a....js (cdn.shopify.com)           | 60 ms          | 57 ms             | 3 ms         |
| ...packs/422-1e8c736....js (public.powrcdn.com)                      | 59 ms          | 42 ms             | 12 ms        |
| ...views/map-1e04269....css (public.powrcdn.com)                     | 56 ms          | 0 ms              | 0 ms         |
| ...apps/microblog-df704db....js (public.powrcdn.com)                 | 53 ms          | 7 ms              | 27 ms        |
| ...1.3.1/leaflet.js?_=162... (cdnjs.cloudflare.com)                  | 51 ms          | 38 ms             | 8 ms         |


## ● Avoid chaining critical requests — 1 chain found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn more.](#) FCP LCP

Maximum critical path latency: **1,560 ms**

Initial Navigation



## ● User Timing marks and measures — 2 user timings ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more.](#)

| Name | Type | Start Time | Duration |
|------|------|------------|----------|
|------|------|------------|----------|

| Name                             | Type | Start Time | Duration |
|----------------------------------|------|------------|----------|
| shopify.content_for_header.start | Mark | 497.92 ms  |          |
| shopify.content_for_header.end   | Mark | 502.9 ms   |          |

● **Keep request counts low and transfer sizes small** — 134 requests • 20,833 KiB ^

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more](#).


| Resource Type | Requests | Transfer Size |
|---------------|----------|---------------|
| Total         | 134      | 20,832.5 KiB  |
| Image         | 22       | 18,118.5 KiB  |
| Script        | 52       | 1,844.9 KiB   |
| Stylesheet    | 17       | 322.5 KiB     |
| Other         | 29       | 250.8 KiB     |
| Font          | 10       | 220.0 KiB     |
| Document      | 4        | 75.8 KiB      |
| Media         | 0        | 0.0 KiB       |
| Third-party   | 133      | 20,802.6 KiB  |

● **Largest Contentful Paint element** — 1 element found ^

This is the largest contentful element painted within the viewport. [Learn More](#) LCP

Element

## Element



Enzo von Dr. Enzo Backmischungen für Hunde liegt entspannt auf einer grünen Wie...

```

```

## ● Avoid large layout shifts — 3 elements found



These DOM elements contribute most to the CLS of the page. CLS

## Element

CLS  
Contribution



Backmischungen für glückliche Hunde SCHNUPPERT REIN! Bio  
zertifiziert Dr. Enzo'...

```
<main class="site-main">
```

0.172



Dr Enzo - Backmischungen für Hunde Logo

```
<h1 class="site-header-logo">
```

0.034



VERSANDKOSTENFREI AB 29€

```
<span class="pxs-announcement-bar-text-
mobile">
```

0.004

## ● Avoid long main-thread tasks — 20 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#) TBT

☒ Show 3rd-party resources (18)

URL	Start Time	Duration
...packs/344-347bd92....js (public.powrcdn.com)	22,263 ms	286 ms
/analytics.js (www.google-analytics.com)	27,213 ms	271 ms
/14579ba48d.js (kit.fontawesome.com)	27,963 ms	267 ms
/analytics.js (www.google-analytics.com)	27,484 ms	253 ms
...api/js?v=3.23&key=AlzaSyBwF... (maps.googleapis.com)	28,230 ms	245 ms
/14579ba48d.js (kit.fontawesome.com)	23,463 ms	169 ms
...shopify_pay/storefront-b61f507....js? v=20210208 (cdn.shopify.com)	4,260 ms	167 ms
...dist/jquery.min.js (cdn.jsdelivr.net)	13,075 ms	123 ms
https://www.drenzo.de	1,082 ms	106 ms
...packs/344-347bd92....js (public.powrcdn.com)	32,613 ms	101 ms
/14579ba48d.js (kit.fontawesome.com)	9,105 ms	100 ms
https://www.drenzo.de	984 ms	98 ms
...dist/jquery.min.js (cdn.jsdelivr.net)	12,813 ms	97 ms
...dist/jquery.min.js (cdn.jsdelivr.net)	12,990 ms	85 ms
/14579ba48d.js (kit.fontawesome.com)	9,205 ms	85 ms
...dist/jquery.min.js (cdn.jsdelivr.net)	12,910 ms	80 ms
...dist/jquery.min.js (cdn.jsdelivr.net)	23,821 ms	78 ms
/14579ba48d.js (kit.fontawesome.com)	9,290 ms	76 ms
/cdn/1bac848....js?shop=dr- enzo.myshopify.com (instafeed.nfcube.com)	7,383 ms	72 ms
/analytics.js (www.google-analytics.com)	4,427 ms	68 ms

## ● Avoid non-composited animations — 4 animated elements found



Animations which are not composited can be janky and increase CLS. [Learn more](#) CLS

## Element

## Name

## img

```
<div class="blog fadeMe sizeControl ImageLayout softLightShadow faded" style="position: absolute; left: 0px; top: 1193px;">
```

Unsupported CSS Property: top

top

## img

```
<div class="blog fadeMe sizeControl ImageLayout softLightShadow faded" style="position: absolute; left: 0px; top: 1430px;">
```

Unsupported CSS Property: top

top



## iframe

```
<iframe src="https://www.powr.io/map/u/9b749e0d_1625071772#platform=shopify&url=https%3... powrindex="2" width="100%" height="395px" frameborder="0" webkitallowfullscreen="" mozallowfullscreen="" allowfullscreen="" style="height: 395px; transition: height 0.3s ease 0s; display: inline; visibilit...">
```

Unsupported CSS Property: height

height

Unsupported CSS Property: height

height



## iframe

```
<iframe src="https://www.powr.io/photo-gallery/u/shopify-section-photo-gallery-16249659..." powrindex="0" width="100%" height="459px" frameborder="0" webkitallowfullscreen="" mozallowfullscreen="" allowfullscreen="" style="height: 459px; transition: height 0.3s ease 0s; display: inline; visibilit...">
```

Unsupported CSS Property: height

height

## Passed audits (15)



### ● Eliminate render-blocking resources



Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more](#). FCP LCP

## ● Defer offscreen images — Potential savings of 96 KiB ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)

☒ Show 3rd-party resources (2)

URL	Resource Size	Potential Savings
 ...assets/siegel_bw_bw.png?v=1403417... (cdn.shopify.com)	57.0 KiB	57.0 KiB
 ...assets/stoerer_vegan.png?v=152... (cdn.shopify.com)	39.1 KiB	39.1 KiB

## ● Minify CSS ^

Minifying CSS files can reduce network payload sizes. [Learn more.](#) FCP LCP

## ● Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn more.](#)

## ● Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#) FCP LCP

## ● Preconnect to required origins ^

### Warnings:

- A `` was found for "https://fonts.shopify.com" but was not used by the browser. Only use `preconnect` for important origins that the page will certainly request.
- More than 2 `` connections were found. These should be used sparingly and only to the most important origins.

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#) FCP LCP

## ● Initial server response time was short — Root document took 480 ms ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more.](#) FCP LCP

☐ Show 3rd-party resources (0)

URL

Time Spent

https://www.drenzo.de

480 ms

## ● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn more.](#) FCP LCP

## ● Preload key requests ^

Consider using `` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#) FCP LCP

## ● Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#) LCP

## ● Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

## ● Preload Largest Contentful Paint image ^

Preload the image used by the LCP element in order to improve your LCP time. [Learn more.](#) LCP

☒ Show 3rd-party resources (1)

URL

Potential Savings

URL

Potential Savings



...files/Enzo\_Head....jpg?v=162... (cdn.shopify.com)

0 ms

● Avoids an excessive DOM size — 609 elements

^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#) TBT

Statistic	Element	Value
Total DOM Elements		609
Maximum DOM Depth	path <code>&lt;path fill="currentColor" fill-rule="evenodd" d="M10.121 19.122 16-6a1 1 0 0 0 0-1.415 1-6-6a1 1 0 0 0 -1.414 0 1 1 0 0 0 0 1..."&gt;</code>	16
Maximum Child Elements	body <code>&lt;body&gt;</code>	14

● Lazy load third-party resources with facades

^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more.](#) TBT

● Avoids `document.write()`

^

For users on slow connections, external scripts dynamically injected via ``document.write()`` can delay page load by tens of seconds. [Learn more.](#)



These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

**ARIA** — These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

### ▲ [\[aria-\\*\]](#) attributes do not match their roles ^

Each ARIA `role` supports a specific subset of `aria-\*` attributes. Mismatching these invalidates the `aria-\*` attributes. [Learn more](#).

#### Failing Elements

Warum Leckerlis selber machen? Mit unseren Backmischungen weißt du immer was dr...

```
<article class="slideshow-slide" tabindex="-1" data-slideshow-slide="" data-slide="0" data-slide-layout="default" aria-selected="false" style="position: absolute; left: 0%;">
```



Welche Hundekekse sind die richtigen für meinen Hund? Bei unserem Angebot an Ba...

```
<article class="slideshow-slide is-selected" tabindex="-1" data-slideshow-slide="" data-slide="1" data-slide-layout="default" aria-selected="true" style="position: absolute; left: 100%;">
```



Warum haben die Backmischungen keine Supplemente? Wir sind der Meinung, dass Sp...

```
<article class=" slideshow-slide " tabindex="-1" data-slideshow-slide="" data-slide="2" data-slide-layout="default" aria-selected="false" style="position: absolute; left: 200%;">
```

### ▲ [\[aria-hidden="true"\]](#) elements contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more](#).

## Failing Elements



## Dr Enzo - Backmischungen für Hunde Logo

```
<div class="site-header-mobile" data-header-mobile="" aria-hidden="true">
```

## Contrast — These are opportunities to improve the legibility of your content.

### ▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)


## Failing Elements



## VERSANDKOSTENFREI AB 29€

```


```



## Menü

```

```



## Warenkorb

```


```



## SCHNUPPERT REIN!

```


```



## NATÜRLICHE ZUTATEN, HEILVOLLE KRÄUTER


```
<h3 class="grid-description-subheading">
```

## Failing Elements




€12,95

&lt;span class="money"&gt;



HERZENSANGELEGENHEIT


&lt;h3 class="text-block-subheading"&gt;



Datenschutzrichtlinie

&lt;a style="margin-left: 3px !important; font-size: 15px; color: rgb(164, 211, 228);"

href="https://www.drenzo.de/policies/privacy-policy" target="\_blank" class="priread cc-link"&gt;



Akzeptieren

&lt;span class="Polaris-Button\_\_Text okbuttontext"&gt;

**Names and labels** — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### ▲ Image elements do not have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

## Failing Elements




img

&lt;img height="60"

src="//cdn.shopify.com/s/files/1/0527/3524/6526/t/13/assets/EU\_Organic\_Logo\_Col..."&gt;

## Failing Elements



img

```

```

img

```

```

img

```

```

img

```

```

img

```

```

### ▲ Links do not have a discernible name



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

## Failing Elements



a

```
<a class="slideshow-slide-content-link" href="/collections/all"
tabindex="-1">
```



a

```

```

## Failing Elements



a

```

```



a

```

```

**Additional items to manually check (10)** — These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

● The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more](#).

● Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more](#).

● Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more](#).

● The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more](#).

● User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

---

● **Custom controls have associated labels** ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

---

● **Custom controls have ARIA roles** ^

Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

---

● **Visual order on the page follows DOM order** ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

---

● **Offscreen content is hidden from assistive technology** ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

---

● **HTML5 landmark elements are used to improve navigation** ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

---

**Passed audits (18)** ^

---

● **[aria-hidden="true"] is not present on the document <body>** ^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document ``<body>``. [Learn more.](#)

---

● **[role]s have all required [aria-\*] attributes** ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more.](#)

---

● **[role] values are valid** ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

---

● **[aria-\*] attributes have valid values** ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

---

● **[aria-\*] attributes are valid and not misspelled** ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

---

● **Buttons have an accessible name** ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more.](#)

---

● **The page contains a heading, skip link, or landmark region** ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

---

● **Document has a <title> element** ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

---

● **ARIA IDs are unique** ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

---

● **<frame> or <iframe> elements have a title** ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

## ● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies.

[Learn more.](#)

## ● `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more.](#)

## ● `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

## ● Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

## ● Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

## ● List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. [Learn more.](#)

## ● `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

---

● **No element has a `[tabindex]` value greater than 0** ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

---

**Not applicable (21)** ^

---

● **`[accesskey]` values are unique** ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more](#).

---

● **`button`, `link`, and `menuitem` elements have accessible names** ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **ARIA input fields have accessible names** ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **ARIA `meter` elements have accessible names** ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **ARIA `progressbar` elements have accessible names** ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.** ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

---

● **[role]s are contained by their required parent element** ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

---

● **ARIA toggle fields have accessible names** ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **ARIA tooltip elements have accessible names** ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **ARIA treeitem elements have accessible names** ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

---

● **<dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.** ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more](#).

---

● **Definition list items are wrapped in <dl> elements** ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more](#).

---

● **[id] attributes on active, focusable elements are unique** ^

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more](#).

---

● **No form fields have multiple labels** ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more](#).

### `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

---

### The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

---

### `<object>` elements have `[alt]` text

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

---

### Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

---

### `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

---

### `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

---

### `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)

---



## Best Practices

### Trust and Safety

#### ▲ Links to cross-origin destinations are unsafe

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more](#).

##### Failing Anchors

###### Facebook

```
<a class="menu-list-link menu-list-social-link"
href="https://www.facebook.com/Dr.Enzo.Backmischungen/" target="_blank">
```

###### Instagram

```
<a class="menu-list-link menu-list-social-link"
href="https://www.instagram.com/doctor_enzo/" target="_blank">
```

#### ▲ Includes front-end JavaScript libraries with known security vulnerabilities — 3 vulnerabilities detected

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more](#).

Library Version	Vulnerability Count	Highest Severity
<a href="#">jQuery@3.3.1</a>	3	Medium

#### ● Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn more](#)

Description	Directive	Severity
-------------	-----------	----------

Description	Directive	Severity
script-src directive is missing. This can allow the execution of unsafe scripts.	script-src	High
Elements controlled by object-src are considered legacy features. Consider setting object-src to 'none' to prevent the injection of plugins that execute unsafe scripts.	object-src	High
No CSP configures a reporting destination. This makes it difficult to maintain the CSP over time and monitor for any breakages.	report-uri	Medium

## General

### ▲ Uses deprecated APIs — 1 warning found ^

Deprecated APIs will eventually be removed from the browser. [Learn more](#).

☒ Show 3rd-party resources (1)

#### Deprecation / Warning

#### Source

'webkitRequestAnimationFrame' is vendor-specific. Please use the standard 'requestAnimationFrame' instead.

...u/shopify-section-photo-gallery-162...  
d3e2:65:21842 (www.powr.io)

### ▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

☒ Show 3rd-party resources (1)

#### Source

#### Description

/raw/29344878?  
url=...:1:0 (www.powr.io)

Failed to load resource: the server responded with a status of 404 (Not Found)

### ▲ Missing source maps for large first-party JavaScript ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more](#).

☒ Show 3rd-party resources (3)

URL

Map URL

...packs/apps-view-  
8ccb35b....js (public.powrcdn.com)

Large JavaScript file is missing a  
source map

...dist/jquery.min.js (cdn.jsdelivr.net)

...dist/jquery.min.map (cdn.jsdelivr.net)

Error: Timed out fetching resource.

...assets/reach.js?v=870... (cdn.shopify.com)

...assets/reach.js.map?v=870...  
(cdn.shopify.com)

## Passed audits (12)

### ● Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more](#).

### ● Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

### ● Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

---

● **Allows users to paste into password fields** ^

Preventing password pasting undermines good security policy. [Learn more.](#)

---

● **Displays images with correct aspect ratio** ^

Image display dimensions should match natural aspect ratio. [Learn more.](#)

---

● **Serves images with appropriate resolution** ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more.](#)

---

● **Page has the HTML doctype** ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

---

● **Properly defines charset** ^

A character encoding declaration is required. It can be done with a `` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more.](#)

---

● **Avoids `unload` event listeners** ^

The ``unload`` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the ``pagehide`` or ``visibilitychange`` events instead. [Learn more](#)

---

● **Avoids Application Cache** ^

Application Cache is deprecated. [Learn more.](#)

---

● **Detected JavaScript libraries** ^

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
jQuery	3.3.1
Hammer.js	2.0.7
boomerang.js	2.2.4
Shopify	
core-js	

### ● No issues in the [Issues](#) panel in Chrome Devtools ^

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Not applicable (1) ^

### ● Fonts with [font-display: optional](#) are preloaded ^

Preload `optional` fonts so first-time visitors may use them. [Learn more](#)



SEO


These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more](#).

## Crawling and Indexing — To appear in search results, crawlers need access to your app.

### ▲ Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

#### Uncrawlable Link



VERSANDKOSTENFREI AB 29€

```

```

a

```

```

a

```
<a>
```

a

```
<a>
```

## Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

### ▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

#### Failing Elements

## Failing Elements



img

```

```



img

```

```

img

```

```

img

```

```

img

```

```

img

```

```

**Additional items to manually check (1)** — Run these additional validators on your site to check additional SEO best practices. ^

● **Structured data is valid** ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more](#).

**Passed audits (12)** ^

---

● **Has a `<meta name="viewport">` tag with `width` or `initial-scale`** ^

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more](#).

---

● **Document has a `<title>` element** ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

---

● **Document has a meta description** ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

---

● **Page has successful HTTP status code** ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more](#).

---

● **Links have descriptive text** ^

Descriptive link text helps search engines understand your content. [Learn more](#).

---

● **Page isn't blocked from indexing** ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more](#).

---

● **robots.txt is valid** ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more](#).

---

● **Document has a valid `hreflang`** ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more](#).

---

● **Document has a valid `rel=canonical`** ^

Canonical links suggest which URL to show in search results. [Learn more.](#)

## ● Document uses legible font sizes — 99.91% legible text ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text  $\geq 12$ px. [Learn more.](#)

☒ Show 3rd-party resources (3)

Source	Selector	% of Page Text	Font Size
... 1.3.1/leaflet.css:415:4 3 (cdnjs.cloudflare.com)	.leaflet-container .leaflet-control-attribution, .leaflet-container .leaflet-control-scale	0.09%	11px
...assets/theme.css?v=318...:1:4150 (cdn.shopify.com)	button, input, optgroup, select, textarea	0.00%	0px
...assets/theme.css?v=318...:1:198155 (cdn.shopify.com)	.slideshow-pagination	0.00%	0px
Legible text		99.91%	$\geq 12$ px

## ● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)

## ● Tap targets are sized appropriately — 100% appropriately sized tap targets ^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)

## Runtime Settings

<b>URL</b>	https://www.drenzo.de/
<b>Fetch Time</b>	Aug 23, 2021, 2:21 PM GMT+2
<b>Device</b>	Emulated Moto G4
<b>Network throttling</b>	Unknown
<b>CPU throttling</b>	Unknown
<b>Channel</b>	lr
<b>User agent (host)</b>	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/90.0.4430.97 Safari/537.36
<b>User agent (network)</b>	Mozilla/5.0 (Linux; Android 7.0; Moto G (4)) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4420.0 Mobile Safari/537.36 Chrome-Lighthouse
<b>CPU/Memory Power</b>	1381

Generated by **Lighthouse** 8.0.0 | [File an issue](#)